

LINCOLNWOOD ELEVATION BENCH MARKS

REFERENCE MARK	ELEVATION (FT. NGVD)	DESCRIPTION OF LOCATION
BM 1*	619.87	Northeast corner of traffic signal control box at southeast corner of Pratt & Central
BM 5*	615.202	North end of concrete base of the light pole, 70' west of Navajo, south side of Pratt
BM 6*	612.234	North end of concrete base of the light pole at the southeast corner corner of Pratt and LeMai
BM 8*	611.677	South end of concrete base of the light pole at the northwest corner of Pratt and Lamon
BM 28*	611.398	Southwest corner concrete pad of control box at northeast corner of Pratt & Cicero.
BM 30*	610.702	South end concrete base of light pole at the northeast corner of Pratt and Kilpatrick
BM 31*	610.392	North end of concrete base of light pole at the south side of Pratt across from Knox
BM 32*	610.073	South end of concrete base of light pole at the northeast corner of Pratt & Kenton
BM 33*	610.334	North end of concrete base of light pole on the south side of Pratt across from Kolmar
BM 50*	609.974	West end of concrete base of the light pole at the northeast corner of Chase and Cicero
BM 60*	610.802	Southeast corner of concrete base of light pole in median of Lincoln at north property line of #7366
BM 61*	610.953	Southwest corner of concrete base of light pole in the median of Lincoln at north line of Chase
BM 65*	608.279	North end of concrete base on light pole at southeast corner of Kostner & Touhy
BM 67*	606.423	North end concrete base of light pole at southeast corner of Tripp & Touhy
BM 69*	605.530	North end concrete base of light pole at southeast corner of Karlov & Touhy
BM 73*	603.202	East end concrete base of light pole at northeast corner of Sherwin & East Prairie

*The following benchmarks were established in 1998

**The following benchmarks were established in July of 2009

LINCOLNWOOD ELEVATION BENCH MARKS

REFERENCE MARK	ELEVATION (FT. NGVD)	DESCRIPTION OF LOCATION
BM 78*	596.574	Southwest corner northern most concrete pad for Ameritech box at northeast corner of Jarvis & Hamlin
BM 88*	605.279	East side concrete base on light pole at southwest corner of Crawford & Lunt
BM 109*	604.116	East end concrete base of light pole at northwest corner of Morse & Crawford
BM 147*	595.504	South end concrete base on light pole on north side of Pratt approximately 30' west of center line of Kimball
BM 150*	596.396	South end concrete base of light pole on north side of Pratt approximately 30' west of center line of Drake
BM 201**	615.77	North flange bolt on fire hydrant; 24' north of the centerline of Sauganash, 51' west of the centerline of East Minnehaha
BM 202**	614.91	North flange bolt on fire hydrant; 24' north of the centerline of Sauganash, 33' west of the centerline of E. Navajo
BM 203**	614.34	North flange bolt on fire hydrant; 21' east of the centerline of Leroy, 42' south of the centerline of Albion
BM 204**	613.44	North flange bolt on fire hydrant; 19' east of the centerline of Tower Circle Dr., at extension of the centerline of Albion
BM 205**	613.47	North flange bolt on fire hydrant at northwest corner of S. Tower Circle and Longmeadow; 21' north of the centerline of Tower Circle, 37' west of the centerline of Longmeadow
BM 206**	612.17	North flange bolt on fire hydrant; 19' east of centerline of Longmeadow, 108' north of the centerline of N. Tower Circle, across from 6700 Longmeadow
BM 207**	613.08	East flange bolt on fire hydrant; 42' north of the centerline of Albion, 33' west of the centerline of Cicero
BM 208**	612.06	North flange bolt on fire hydrant; 24' west of the centerline of Kilpatrick, 26' north of the centerline of Albion
BM 209**	612.18	North flange bolt on fire hydrant; 24' west of the centerline of Kenton, 36' north of the centerline of Albion
BM 210**	611.71	North-northwest flange bolt on fire hydrant; 31' north of the centerline of Albion, 21' west of the centerline of Kilbourn
BM 211**	610.39	North flange bolt on fire hydrant at 6550 Kenneth; 18' west of the centerline of Kenneth, 48' south of the centerline of driveway at 6550 Kenneth

*The following benchmarks were established in 1998

**The following benchmarks were established in July of 2009

LINCOLNWOOD ELEVATION BENCH MARKS

REFERENCE MARK	ELEVATION (FT. NGVD)	DESCRIPTION OF LOCATION
BM 212**	607.97	North flange bolt on fire hydrant at northeast corner of Albion and Crawford; 31' east of the centerline of Crawford, 41' north of the centerline of Albion
BM 213**	603.11	North flange bolt on fire hydrant at southeast corner of Albion and Springfield; 21' south of the centerline of Albion, 42' east of the centerline of Springfield
BM 214**	599.79	Square in northeast corner of handhole on north side of Lincoln Ave.; 129' southeast of centerline of Avers, 42' northeast of (and perpendicular to) the centerline of Lincoln, 49' south of the southwestern-most corner of building at 6609 N. Lincoln Ave. (Gladys R. Wilson & Associates)
BM 215**	600.03	North flange bolt on fire hydrant at northwest corner of Lawndale and Albion; 24' west of the centerline of Lawndale, 37' north of the centerline of Albion
BM 216**	598.71	North flange bolt on fire hydrant at northeast corner of Albion and Central Park; 23' east of the centerline of Central Park, 40' north of the centerline of Albion
BM 217**	598.26	East flange bolt on fire hydrant at southwest corner of Albion and St. Louis; 36' south of the centerline of Albion, 21' west of the centerline of St. Louis
BM 218**	596.85	North flange bolt on fire hydrant at southwest corner of Albion and Christiana; 33' south of the centerline of Albion, 22' west of the centerline of Christiana
BM 219**	601.87	North flange bolt on fire hydrant at southwest corner of Pratt and Avers; 24' west of the centerline of Avers, 45' south of the centerline of Pratt
BM 220**	609.94	North flange bolt on fire hydrant at southwest corner of Morse and Tripp; 19' west of the centerline of Tripp, 38' south of the centerline of Morse
BM 221**	599.70	North flange bolt on fire hydrant; 27' south of centerline of Lunt, 241' west of the centerline of Lawndale, 78' northeast of northwest corner of 'Domicile Furniture' Building
BM 222**	602.10	North flange bolt on fire hydrant at northwest corner of Lunt and East Prairie; 25' west of the centerline of East Prairie, 36' north of the centerline of Lunt
BM 223**	608.27	North-northeast flange bolt on fire hydrant at southwest corner of Lunt and Karlov; 21' west of the centerline of Karlov, 36' south of the centerline of Lunt
BM 224**	609.58	North flange bolt on fire hydrant at northeast corner of Lunt and Keeler; 24' east of the centerline of Keeler, 37' north of the centerline of Lunt
BM 225**	611.01	North flange bolt on fire hydrant at southwest corner of Lunt and Kostner; 33' west of the centerline of Kostner, 21' south of the centerline of Lunt
BM 226**	611.60	North flange bolt on fire hydrant 18' east of the centerline of Kolmar; 51' south of the centerline of Lunt

*The following benchmarks were established in 1998

**The following benchmarks were established in July of 2009


LINCOLNWOOD ELEVATION BENCH MARKS

REFERENCE MARK	ELEVATION (FT. NGVD)	DESCRIPTION OF LOCATION
BM 227**	612.88	North flange bolt on fire hydrant 24' west of the centerline of Kilpatrick; 37' north of the centerline of Lunt
BM 228**	611.01	Square cut in southeast corner of concrete pad of the AT&T transformer west of Cicero at Lunt; 27' north of the centerline of Lunt, 41' west of the centerline of Cicero
BM 229**	613.94	North flange bolt on fire hydrant at southeast corner of Lunt and Lamon; 22' south of the centerline of Lunt, 31' east of the centerline of Lamon
BM 230**	597.82	Square cut into western-most corner of concrete pad of handhole at southwest corner of Touhy and Lawndale; 13' east-southeast of traffic signal, 12' northwest of catch basin
BM 231**	600.20	North flange bolt on fire hydrant at northeast corner of Hamlin and Chase; 54' north of the centerline of Chase, 27' east of the centerline of Hamlin
BM 232**	603.19	Square cut in southwest corner of concrete base of electric pedestal stamped 'Grouse Hinds' at northeast corner of Crawford & Chase; 24' north of the centerline of Chase, 42' east of the centerline of Crawford
BM 233**	607.46	North flange bolt on fire hydrant at southeast corner of Chase and Karlov; 21' west of the centerline of Karlov, 36' south of the centerline of Chase
BM 234**	608.66	North flange bolt on fire hydrant at southeast corner of Chase and Keeler; 21' east of the centerline of Keeler, 38' south of the centerline of Chase
BM 235**	609.28	North flange bolt on fire hydrant at southeast corner of Chase and Kildare; 21' east of the centerline of Kildare, 37' south of the centerline of Chase
BM 236**	610.55	North flange bolt on fire hydrant at southwest corner of Chase and Kostner; 24' west of the centerline of Kostner, 39' south of the centerline of Chase
BM 237**	612.57	North flange bolt on fire hydrant at northeast corner of Lamon and Sherwin; 19' north of the centerline of Sherwin, 30' east of the centerline of Lamon

9232 Lincolnwood Benchmarks

*The following benchmarks were established in 1998

**The following benchmarks were established in July of 2009



GEWALT HAMILTON
 ASSOCIATES, INC.

CONSULTING ENGINEERS & SURVEYORS

850 Forest Edge Drive Vernon Hills, IL 60061 Tel. 847.478.9700 Fax 847.478.9701

EXHIBIT

**LINCOLNWOOD ELEVATION BENCHMARKS
 VILLAGE OF LINCOLNWOOD, ILLINOIS**

FILE: 9232 Benchmark Map.dwg

DRAWN BY: KLC

DATE: 8-7-09

CHECKED BY:

GHA PROJECT #

9232.360

SCALE

SHEET NUMBER:

1

OF 1 SHEETS