

LINCOLNWOOD CONNECTIONS

May - June

A BIMONTHLY PUBLICATION
FROM THE VILLAGE OF LINCOLNWOOD

2014


Crawford Avenue Reconstruction

On March 17, 2014, the Cook County Highway Department began an 18 month project to reconstruct Crawford Avenue from Devon Avenue

The project includes reconstruction of the road, sidewalk improvements, landscaped medians, drainage improvements, water main construction, and new street lighting.

The 2014 construction season includes reconstruction of both northbound and southbound lanes from Howard Street to Oakton Street and northbound lanes from Devon Avenue to Howard Street. All major work is scheduled to be completed from Howard Street to Oakton Street except for permanent signal work by the CTA crossing.

In 2014, one lane of traffic will flow in each direction. The east side lanes will be closed and traffic will be shifted to the west side. This stage will continue until the Winter shutdown.



The Village has a dedicated webpage which will be updated frequently with information regarding changing traffic patterns. The webpage may be found at www.lincolnwoodil.org/crawford-avenue/. For questions regarding the project contact the Village's Public Works Department at (847) 675-0888.

Inside This Issue

President's Message 2



In Bloom 3



Water Report 5

New Businesses 9

Board Highlights 9



PRESIDENT'S MESSAGE

Dear Residents and Friends,

Spring is here at last! This was a very hard and long Winter that took a toll on all of us. Our Public Works Department once again proved it was one of the best departments around. I am writing this article at the end of March, so I hope by the time you read this newsletter you are wearing short sleeves and short pants! Our Spring flowers are in bloom, the birds are singing, and we are renewed once again. It is good to be home in Lincolnwood!

Our State of the Village event was held on March 20 and was sponsored by the Lincolnwood Chamber of Commerce. I was able to give the members a good view of the state of businesses throughout our Village with help from Village staff and Chamber members. Assisting me were Neal Stein, North Capital Group, Tim Clarke, Community Development Director, and Doug Petroschius, Assistant Village Manager, along with Lincolnwood Chamber Executive Director Jackie Boland and Chamber Member Mark Freedman. The event received buffo reviews in the *Lincolnwood Review* from Natalie Hayes. I ended the luncheon with an illusion of sorts. It was a lot of fun and we had a great crowd! Please plan to attend next year as I have already determined the death defying stunt that I will perform!



President Turry

Mark your calendars for our Annual Memorial Day Parade on Monday, May 26. This incredible event brings our community together to celebrate the lives of our military personnel and allows us to take time to pause and remember those who died during or after service. Whether this is your first or 32nd parade, call our American Legion Post at (847) 674-4157 or Melissa Rimdzius, Community Center Program Supervisor, at the Village Parks and Recreation Department at (847) 745-4728 and ask how you can participate. Many of our residents like to join the fun by lining the streets and following the parade which concludes at the Madeleine Grant Gardens and Pergola in Proesel Park. I promise you will enjoy this event. We will

have lots of red, white, and blue, and this year is the 32nd consecutive year of performance by the Niles West Marching Band. Please attend so we can welcome back Mr. Justin Johnson and his fine band members.

Shortly after Memorial Day we will see the graduation of many of our young people. Each will mark their rites of passage, entering the next phases of their lives. Let me take this time to extend my very best wishes to the graduates and their families. Whether it is entering high school or college, or trying to enter the very competitive work force, may you achieve your goals, and may your dreams be fulfilled. Do not forget to say thank you to all those who helped you along the way. Why not make it a point to get involved in community service this summer season? Be a Rescue Ranger! Contact me via email at jerry@turry.net. If you need some ideas on where we need to find help, call Carrie Dick, Executive Secretary, at (847) 745-4717 and ask her to set up an appointment when we can chat about meeting some of the needs of our senior population through Rescue Rangers.

Very truly yours,

Gerald C. Turry, Mayor

NEWS AND EVENTS

Paying Your Water Bill Online

You can make water bill payments at your convenience, 24 hours a day, seven days a week at <https://lincolnwood.merchantransact.com/>.

The following are helpful hints on the online payment system:

- 1) Information about water billing is available on the Village website at lincolnwoodil.org. Click *Online Bill Pay*, then *Water Bill*.
- 2) The first name and last name must be entered as it appears on your water bill. For example, if the name on the water bill says "John and Jane Smith", the first name should be entered as "John and Jane".
- 3) Trailing zeros and dashes must be included in your account number. For example, the entire account number, 000123-000 would be entered into the system.
- 4) Verify your email address. Once a new user successfully logs into web payments, a security email is sent to the address you provided. You must click on the link in this email to verify that you have signed up for web payments. If this is not done, you will have limited or no access to web payments for future logins.



- 5) You may opt to receive electronic bills or both electronic and paper bills by using the *My Profile* tab.

Please call the Finance Department with questions regarding your water bill at (847) 673-1540 and select option six.


Lincolnwood in Bloom

The Lincolnwood Beautification Task Force will be holding the "Lincolnwood in Bloom Contest" to showcase property owners that landscape and beautify their homes and neighborhoods. The contest will run through September 8, 2014. For more information or to learn how to participate in the contest, visit lincolnwoodil.org or call (847) 745-4715.



Vehicle Sticker and License Information

Vehicle stickers expire June 30, 2014. If you do not receive a preprinted renewal form in the mail by June 1, please bring your current vehicle registration to Village Hall in order to purchase a vehicle sticker. The 2014-15 vehicle sticker is valid for one year beginning July 1. Vehicle stickers purchased after June 30, 2014 are subject to a \$10 per month late fee. The 2014-15 vehicle sticker was selected from School District 74 student submittals.



Current business licenses expired April 30, 2014. All businesses are required to display their new license by May 1, 2014. Pet licenses expire June 30, 2014. Pet license applications and tags are available at Village Hall beginning June 1, 2014. Additional information can be found on the Finance Department website at www.lincolnwoodil.org/resident-services/permit-and-license-applications/ or by calling (847) 745-4702.

PUBLIC WORKS

Leaf Blower Regulations

As Spring approaches, please remember that gasoline powered leaf blowers are not permitted for use within the Village from May 15 to September 30. Between October 1 and May 14, the use of gasoline powered leaf blowers is restricted before 7 a.m. and after 6 p.m. Mondays through Fridays and before 7 a.m. and after 12 p.m. on Saturdays. Gasoline powered leaf blowers may not be used on Sundays and holidays.



Alley Maintenance

Public Works asks that residents help keep our alleys clean. Please trim any bushes that extend into the public right-of-way (the right-of-way is 16 feet across) and report any potholes or other problems to the Public Works Department at (847) 675-0888 or on the Village's website at lincolnwoodil.org.



Residential Rebate Program for Sewer Collapses

Beginning May 1, 2014 the Village will offer a rebate program for residential properties that experience sewer collapses due to tree roots from trees that have been planted within the public right-of-way. The program will provide residents with a reimbursement of up to \$2,000. For more information regarding this program visit the Village's website at lincolnwoodil.org or contact Public Works at (847) 675-0888.

Yard Waste Pickup

Yard waste pickup will take place every Monday until the beginning of December. Groot will not pick up garbage that is mixed with branches and yard waste. If you have yard waste in your garbage, Groot will notify you by placing an orange tag on the garbage bin. Should you receive an orange tag, separate your garbage from the yard waste and contact Groot at (847) 734-6400 to schedule a pickup. When disposing of yard waste, please ensure that branches are four inches or less in diameter, four feet or less in length and tied together in bundles not exceeding 60 pounds. Yard waste bags may be purchased at the Village Hall at a cost of \$2.00 for five bags. If you have any questions, please contact Public Works at (847) 675-0888.

Street Light Replacement Program

In April, the Village began the second year of the Village's street light replacement program. The program will take place on Pratt Avenue from Central Avenue to Hamlin Avenue. The project includes the replacement of existing street lights with LED (light emitting diode) street lights. The project will be completed in three phases:

- Phase One - Pratt Avenue from Central Avenue to Cicero Avenue
- Phase Two - Pratt Avenue from Cicero Avenue to Lincoln Avenue
- Phase Three - Pratt Avenue from Lincoln Avenue to Hamlin Avenue

The anticipated completion date for the project is July 18. For questions regarding the project please contact the Public Works Department at (847) 675-0888.

WATER QUALITY REPORT

Annual Drinking Water Quality Report Village of Lincolnwood Utility Number IL0311650

Annual Water Quality report for the period of January 1, 2013 to December 31, 2013

This report is intended to provide you with important information about your drinking water and the efforts made by the Village of Lincolnwood to provide safe drinking water to its residents. The source of drinking water used by Lincolnwood is purchased surface water. For more information regarding this report, please contact Manuel Castaneda, Public Works Director, at (847) 675-0888.

Este informe contiene información importante sobre el agua que usted bebe.
Tradúzcalo o hable con alguien que lo entienda bien.

Sources of Drinking Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (800) 426-4791.

In order to ensure that tap water is safe to drink, the EPA prescribes regulations which limit the amount of certain contaminants provided by the public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders. Some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800) 426-4791.

WATER QUALITY REPORT

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.



Source Water Assessment

We want our valued customers to be informed about their water quality. If you would like to learn more, please feel welcome to attend any of our regularly scheduled meetings. The source water assessment for our supply has been completed by the Illinois EPA. If you would like a copy of this information, please stop by Village Hall or call our Water System Operator at (847) 675-0888. To view a summary version of the completed Source Water Assessments, including: Importance of Source Water; Susceptibility to Contamination Determination; and documentation/recommendation of Source Water Protection Efforts, you may access the Illinois EPA website at www.epa.state.il.us/cgi-bin/wp/swap-fact-sheets.pl.

The Illinois EPA considers all surface water sources for community water supply to be susceptible to potential pollution problems. The very nature of surface water allows contaminants to migrate into the intake with no protection only dilution. This is the reason for mandatory treatment for all surface water supplies in Illinois. Chicago's offshore intakes are located at a distance that shoreline impacts are not usually considered a factor on water quality. At certain times of the year, however, the potential for contamination exists due to wet- weather flows and river reversals. In addition, the placement of the crib structures may serve to attract waterfowl, gulls and terns that frequent the Great Lakes areas, thereby concentrating fecal deposits at the intake and thus compromising the source water quality. Conversely, the shore intakes are highly susceptible to storm water runoff, marinas and shoreline point sources due to the influx of groundwater to the lake.

Regulated Contaminants Detected in 2013 - Village of Lincolnwood Water System

Lead and Copper Date Sampled: 6/8/2011

Definitions:

Action Level Goal (ALG): The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Lead and Copper	Date Sampled	MCLG	Action Level (AL)	90th Percentile	# of Sites Over AL	Units	Violation	Likely Source of Contamination
Copper	6/8/2011	1.3	1.3	0.25	0	ppm	N	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems
Lead	6/8/2011	0	15	6.14	2	ppb	N	Corrosion of household plumbing systems; Erosion of natural deposits.

WATER QUALITY REPORT

Water Quality Test Results

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant Level or MCL: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Residual Disinfectant Level Goal or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Maximum Residual Disinfectant Level or MRDL: The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Definitions: The following tables contain scientific terms and measures, some of which may require explanation.

ppb: Micrograms per liter or parts per billion-or one ounce in 7,350,000 gallons of water.

Na: not applicable

Avg: Regulatory compliance with some MCLs are based on running annual average of monthly samples.

ppm: Milligrams per liter or parts per million – or one ounce in 7,350 gallons of water.

Regulated Contaminants

Disinfectants and Disinfection by-Products	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Chlorine	12/31/2013	1	0.93-1	MRDLG=4	MRDL=4	ppm	N	Water additive used to control microbes.
Haloacetic Acids (HAA5)*	2013	16	6.78-21	No goal for the total	60	ppb	N	By-product of drinking water disinfection

Not all sample results may have been used for calculating the Highest Level Detected because some results may be part of an evaluation to determine where compliance sampling should occur in the future.

Total Trihalomethanes (TThm)*	2013	42	16.12-60.3	No goal for the total	80	ppb	N	By-product of drinking water disinfection
-------------------------------	------	----	------------	-----------------------	----	-----	---	---

Not all sample results may have been used for calculating the Highest Level Detected because some results may be part of an evaluation to determine where compliance sampling should occur in the future.

No Water Quality Violations were recorded during 2013 for the Village of Lincolnwood's Water System.

WATER QUALITY REPORT

2013 Chicago Water Quality Data - Detected Contaminants

Contamination (Unit of measurement) Typical Source of Contamination	MCLG	MCL	Highest Level Detected	Range of Detections	Violation	Date of Sample
Microbial Contaminants						
TOTAL COLIFORM Bacteria (% pos/mo) Human and animal fecal waste.	0	5%	0.6	n/a		
FECAL COLIFORM AND E.COLI (# pos/mo) Human and animal fecal waste.	0	0	0	n/a		
TURBIDITY (% < 0.3 NTU) Soil runoff. Lowest monthly percent meeting limit.	n/a	TT (95%≤0.3NTU)	100%	100%-100%		
TURBIDITY (NTU) Soil runoff. Highest single measurement	n/a	TT=1NTUmax	0.18	n/a		
Inorganic Contaminants						
ARSENIC Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes.	0	10	1	0.519-0.767		2013
BARIUM (ppm) Discharge of drilling wastes; discharge from metal refineries; erosions of natural deposits	2	2	0.0205	0.0204-0.0205		2013
COPPER (ppm) Corrosion of household plumbing systems; Erosion of natural deposits.	1.3	AL=1.3	0.046	0 sites exceeding AL		8/23/2012
LEAD (ppb) Corrosion of household plumbing systems; Erosion of natural deposits.	0	AL=15	6.6	1 site exceeding AL		8/23/2012
NITRATE (AS NITROGEN) (ppm) Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.	10	10	0.362	0.351-0.362		2013
SELENIUM Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines.	50	50	2	0-2.48		2013
TOTAL NITRATE & NITRITE (ppm) Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.	10	10	0.362	0.351-0.362		
Disinfectants/Disinfection By-Products						
TTHMs [TOTAL TRIHALOMETHANES] (ppb) By-product of drinking water disinfection.	n/a	80	22	9.7-34.8		
HAA5 [HALOACETIC ACIDS] (ppb) By-product of drinking water disinfection.	n/a	60	11	0-17.6		
TTHMs, haa5, and chlorine are for the Chicago distribution system *Highest Running Actual Average Computed.						
CHLORINE (as CL2) (ppm) Drinking water disinfectant	MRDLG=4	MRDL=4	1	1-1		12/31/2013
TTC [TOTAL ORGANIC CARBON] The percentage of Total Organic Carbon (TOC) removal was measured each month and the system met all the TOC removal requirements set by IEPA						
Unregulated Contaminants						
SULFATE (ppm) Erosion of naturally occurring deposits.	n/a	n/a	11.9	ND-11.9		
State Regulated Contaminants						
FLUORIDE (ppm) Water additive which promotes strong teeth.	4	4	0.9	0.856-0.922		
SODIUM (ppm) Erosion of naturally occurring deposits; Used as water softner.	n/a	n/a	7.84	7.42-7.84		
Radioactive Contaminants						
COMBINED RADIUM 226/228 (pCi/l) Decay of natural and man-made deposits.	0	5	1.38	1.30-1.38		3/17/2008
GROSS ALPHA excluding radon and uranium (pCi/l) Decay of natural and man-made deposits.	0	15	0.88	0.09-0.88		3/17/2008

WATER QUALITY REPORT

Unit of Measurement

ppm – Parts per million, or milligrams per liter
ppb – Parts per billion, or micrograms per liter

NTU – Nephelometric Turbidity Unit, used to measure cloudiness in drinking water
%<0.5 NTU – Percent samples less than 0.5 NTU
pCi/l – Picocuries per liter, used to measure radioactivity

Definitions

Highest Level Detected: This column represents the highest single sample reading of a contaminant of all the samples collected in 2009.

Range of Detections: This column represents a range of individual sample results, from lowest to highest that were collected during the CCR calendar year.

Date of Sample: If a date appears in this column, the Illinois EPA requires monitoring for this contaminant less than once per year because the concentrations do not frequently change. If not date appears in the column, monitoring for this contaminant was conducted during the Consumer Confidence Report calendar year.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Water Quality Data Table Footnotes

TURBIDITY: Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of water quality and the effectiveness of our filtration system and disinfectants.

UNREGULATED CONTAMINANTS: A maximum contaminant level (MCL) for this contaminant has not been established by either state or federal regulations, nor has mandatory health effects language. The purpose for monitoring this contaminant is to assist USEPA in determining the occurrence of unregulated contaminants in drinking water, and whether future regulation is warranted.

FLUORIDE: Fluoride is added to the water supply to help promote strong teeth. The Illinois Department of Public Health recommends an optimal fluoride range of 0.9 mg/l to 1.2 mg/l.

SODIUM: There is not a state or federal MCL for sodium. Monitoring is required to provide information to consumers and health officials that are concerned about sodium intake due to dietary precautions. If you are on a sodium-restricted diet, you should consult a physician about this level of sodium in the water.

UNREGULATED CONTAMINANT MONITORING RULE II (UCMR II): Our water system was required to monitor for all contaminants required under the Unregulated Contaminant Monitoring Rule II (UCMR II). Started in 2009, monitoring under UCMR II was completed in 2011, with none of the contaminants detected.

About the Data

LEAD: Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home be higher than at other homes in the community as a result of material used in your home plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested. You may also try flushing the tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the Safe Drinking water Hotline at (800) 426-4791.

COPPER: Copper is an essential nutrient; however some homes that have water that contains copper in excess of the "Action Level" over a relatively short amount of time could experience gastrointestinal distress, or could suffer kidney and liver damage. People with Wilson's disease should consult their physician for recommended action. Flushing your tap for 30 seconds to 2 minutes will reduce copper levels caused by water remaining motionless for long periods within household plumbing systems.

0316000-Chicago 2013 Violation Summary Table

No monitoring, reporting, treatment technique, maximum residual disinfectant level, or maximum contaminant level violations were recorded during 2013.

VILLAGE OF LINCOLNWOOD
6900 N LINCOLN AVE
LINCOLNWOOD IL 60712
lincolnwoodil.org

Village President Gerald Turry
Trustee Ronald Cope
Trustee Lawrence Elster
Trustee Craig Klatzco
Trustee Nicholas Leftakes
Trustee Jesal Patel
Trustee Renee Sprogis-Marohn
Village Clerk Beryl Herman
Village Treasurer Charles Greenstein
Village Manager Timothy Wiberg

PRSR STD
U.S. POSTAGE
PAID
PERMIT NO. 113
CHICAGO, IL

ECRWSS
POSTAL CUSTOMER
LINCOLNWOOD IL 60712

LINCOLNWOOD CONNECTIONS is published by the Village as a public information service for residents. The newsletter is available for download under "Quicklinks" at the Village's homepage at lincolnwoodil.org.

The Village Hall, Police Department, Fire Department, Community Development Department, and the Parks and Recreation Department are located at 6900 North Lincoln Avenue in the Municipal Complex. Village Hall office hours are 9:00 a.m. to 5:00 p.m., Monday through Friday.

Village Website	lincolnwoodil.org
Fire / Medical Emergency	9-1-1
Village Hall	(847) 673-1540
Police Department	(847) 673-2167
Fire Department	(847) 673-1545
Public Works Department	(847) 675-0888
Community Development Department	(847) 673-7402
Parks and Recreation Department	(847) 677-9740
Village Engineer	(847) 745-4862
Code Enforcement Officer	(847) 745-4811
Administration	(847) 745-4717
Social Services	(847) 673-2167
Groot	(847) 734-6400
SWANCC	(847) 724-9205
IDOT	(847) 705-4000
Cook County	(708) 485-7130

Board and Commission Meetings

Village Board (TV)	1st, 3rd Tuesday of the month
Plan Commission (TV)	1st Wednesday of the month
Human Relations Commission*	2nd Monday of the month
Park and Recreation Board	2nd Tuesday of the month
Zoning Board of Appeals (TV)	3rd Wednesday of the month
Economic Development Commission	4th Wednesday of the month
Traffic Commission	4th Thursday of the month
Board of Fire and Police Commissioners	As needed
Telecommunications Advisory Commission	As needed

*Designates a vacancy, please call Village Hall at (847) 673-1540 if you are interested in serving on a board or commission with a vacancy. Village Board meetings are held in the Council Chambers in Village Hall at 7:30 pm on the first and third Tuesdays of the month. Please check the Village's website at lincolnwoodil.org for Board and Commission meeting dates, agendas, and minutes. To receive meeting agendas, send an email to subscribe@lwd.org.

(TV) = Broadcast live on Comcast Cable Channel 6 and AT&T U-Verse Channel 99 and lincolnwood.tv. Plan Commission, Zoning Board of Appeals, and Village Board meetings are also re-broadcast one week following the scheduled meeting on Comcast Cable 6 and AT&T U-Verse and are also available on-demand at lincolnwood.tv.



New Businesses
Welcome to Lincolnwood!

AnnaJ Beauty Salon
Beauty Salon
4352 W. Touhy Avenue
(224) 534-7059

Pathways Home Health
Home Health Service
7366 N. Lincoln Avenue
Suite 204
(847) 454-6526

LA Sweet
Customer Service
4433 W. Touhy Avenue
Suite 207
(773) 254-5000

Recent Board Actions

The Village Board meets on the first and third Tuesdays of the month. Here are some highlights from recent Board Meetings:

- Swore in new Police Lieutenant, Larry Martin
- Approved the FY 2014-2015 Budget
- Approved an agreement to upgrade traffic signals with LED lighting on state highways within the Village
- Updated the Zoning Code to allow polyvinyl chloride (PVC) as an acceptable material for fences subject to certain restrictions.

Village Hall Closures

Village Hall will be closed on Monday, May 26 in observance of Memorial Day.